UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/897,518	07/02/2001	David James Stevenson	01-491	2537

7590   03/17/2006

McDonnell Boehnen Hulbert & Berghoff
32nd Floor
300 S. Wacker Drive
Chicago, IL 60606

EXAMINER
MEUCCI, MICHAEL D

ART UNIT	PAPER NUMBER
2142	

DATE MAILED: 03/17/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

PTO-90C (Rev. 10/03)

	Application No.	Applicant(s)
Office Action Summary	09/897,518	STEVENSON ET AL.
	Examiner	Art Unit	
	Michael D. Meucci	2142	

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE _3_ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1)☒ Responsive to communication(s) filed on _29 December 2005_.

2a)☐ This action is **FINAL**.   2b)☒ This action is non-final.

3)☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4)☒ Claim(s) _1,4-6,8,12-21 and 23_ is/are pending in the application.

    4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5)☐ Claim(s) _____ is/are allowed.

6)☒ Claim(s) _1,4-6,8,12-21 and 23_ is/are rejected.

7)☐ Claim(s) _____ is/are objected to.

8)☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9)☐ The specification is objected to by the Examiner.

10)☒ The drawing(s) filed on _24 September 2001_ is/are: a)☒ accepted or b)☐ objected to by the Examiner.

    Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

    Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12)☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

    a)☒ All   b)☐ Some * c)☐ None of:

      1.☒ Certified copies of the priority documents have been received.

      2.☐ Certified copies of the priority documents have been received in Application No. _____.

      3.☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

    * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)	4) ☐ Interview Summary (PTO-413)
2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____ .
3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) ☐ Notice of Informal Patent Application (PTO-152)
Paper No(s)/Mail Date _____ .	6) ☐ Other: _____ .

DETAILED ACTION

1.   This action is in response to the Request for Continued Examination (RCE) filed

29 December 2005.

2.   Claims 1, 4-6, 8, 12-21, and 23 remain pending.

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

4.   Claims 1, 4-6, 8, 12-21, and 23 rejected under 35 U.S.C. 103(a) as being

unpatentable over Bell et al. (U.S. 5,223,827) hereinafter referred to as Bell in view of

Andersen (U.S. 6,434,715 B1) and Vaid et al. (U.S. 6,502,131 B1) hereinafter referred

to as Vaid.

        a.   As per claims 1, 21, and 23 Bell teaches: receiving network management

data relating to an event condition (lines 15-24 of column 1 and line 56 of column 3

through line 5 of column 4); determining whether a predetermined number of equivalent

event shave been generated in a preceding time period (line 54 of column 1 through line

12 of column 2); and if so generating a recurring event (abstract and lines 15-62 of

column 1).

Bell does not explicitly teach: receiving data relating to a subsequent occurrence of the recurring event, and preventing a subsequent event from being presented in the event list to the user. However, Andersen discloses: "A limit may be set as to how many repeats should be observed before a repeat event/message is generated. Similarly a limit may be programmed in as to how many repeat events/messages should be generated regardless of the number of observations made," (lines 58-62 of column 3).

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to receive data relating to a subsequent occurrence of the recurring event, and prevent a subsequent event from being presented in the event list to the user. "This information is useful as an aid in determining the cause or root (i.e., systemic root cause) of these events as such would otherwise be difficult to determine," (line 67 of column 3 through line 3 of column 4 in Andersen) and "By identifying repeating fault events automatically, these systemic fault conditions may be predicted, detected, and corrected before a major fault event occurs," (lines 16-19 of column 4 in Andersen). It is for these reasons that one of ordinary skill in the art at the time of the applicant's invention would have been motivated to receive data relating to a subsequent occurrence of the recurring event, and prevent a subsequent event from being presented in the event list to the user in the system as taught by Bell.

Bell does not explicitly teach: SNMP events. The combination of Bell and Andersen teach all of the limitations of the instant application with regards to generic events, and the examiner contends that the type of event is arbitrary. In any case, Vaid

discloses: "Alarms and notifications can also be specified, in order to determine which events will trigger an alarm, at what threshold, and in what form e.g. email notification, pager message, SNMP trap, log entry and so on," (lines 52-55 of column 27). It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to include SNMP events. "Additionally, the directory access interfaces with management stations network services 1811 through SNMP," (lines 3-5 of column 27 in Vaid). It is for this reason that one of ordinary skill in the art at the time of the applicant's invention would have been motivated to include SNMP events in the system as taught by Bell and Andersen.

b.   As per claim 4, Bell does not explicitly teach: adding a time stamp to the event data of the recurring event, the time stamp indicating the time of the subsequent occurrence of the event condition. However, Andersen discloses: "Optionally, the algorithm may also log the date and time of the event," (lines 10-11 of column 2).

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to add a time stamp to the event data of the recurring event, with the time stamp indicating the time of the subsequent occurrence of the event condition. "The algorithm determines if this particular fault type (or event type) has occurred before (e.g., the same type of fault on the same phase). If such a fault has occurred before, the time since the last such fault occurrence and the total number of such fault type occurrences are determined. This is then compared against the user-input number of events and/or time frequency specified to merit the generation of a repeat event," (lines 11-18 of column 2 in Andersen). It is for this reason that one of ordinary skill in the art

at the time of the applicant's invention would have been motivated to add a time stamp to the event data of the recurring event, with the time stamp indicating the time of the subsequent occurrence of the event condition in the system as taught by Bell.

        c.   As per claim 5, Bell teaches: the preceding time period is an immediately preceding time period (abstract and lines 45-62 of column 1).

        d.   As per claim 6, Bell teaches: data relating to an event is recorded in an event storage.

Bell fails to teach: recorded event data includes the time of the event; and the step of determining whether a predetermined number of equivalent events have been generated in a preceding time period comprising: determining the number of equivalent events in the event storage having a time within the predetermined time period, and comparing the determined number with the predetermined number. However, Andersen discloses: "Optionally, the algorithm may also log the date and time of the event," (lines 10-11 of column 2); and "A limit may be set as to how many repeats should be observed before a repeat event/message is generated. Similarly a limit may be programmed in as to how many repeat events/messages should be generated regardless of the number of observations made. This information may be displayed at the trip unit 30 or at a central computer (not shown). This may be displayed (or printed) in the form of a log or by type of event along with the number of repeat events, the time since the prior event occurrence and/or the frequency of such event occurrences," (lines 62-67 of column 3).

It would have been obvious to one of ordinary skill in the art at the time of the

applicant's invention to have recorded event data include the time of the event; and the

step of determining whether a predetermined number of equivalent events have been

generated in a preceding time period comprising: determining the number of equivalent

events in the event storage having a time within the predetermined time period, and

comparing the determined number with the predetermined number. "The algorithm

determines if this particular fault type (or event type) has occurred before (e.g., the

same type of fault on the same phase). If such a fault has occurred before, the time

since the last such fault occurrence and the total number of such fault type occurrences

are determined. This is then compared against the user-input number of events and/or

time frequency specified to merit the generation of a repeat event," (lines 11-18 of

column 2 in Andersen).

It is for this reason that one of ordinary skill in the art at the time of the applicant's

invention would have been motivated to have recorded event data include the time of

the event; and the step of determining whether a predetermined number of equivalent

events have been generated in a preceding time period comprising: determining the

number of equivalent events in the event storage having a time within the

predetermined time period, and comparing the determined number with the

predetermined number in the system as taught by Bell.

     e.   As per claim 8, Bell teaches: receiving network management data relating

to an event condition (lines abstract and 15-24 of column 1); and determining whether

the monitored characteristic for the event condition is in a recurring state, and

processing the data according to whether the monitored characteristic for the event

condition is in a recurring state (abstract and lines 15-62 of column 1).

     f.   As per claim 11, Bell does not explicitly teach: determining whether the

event condition has occurred more than the first predetermined number of times in the

first preceding time period, and if so, preventing the received data relating to the event

condition from being presented in the event list to the user. However, Andersen

discloses: "A limit may be set as to how many repeats should be observed before a

repeat event/message is generated. Similarly a limit may be programmed in as to how

many repeat events/messages should be generated regardless of the number of

observations made," (lines 58-62 of column 3).

It would have been obvious to one of ordinary skill in the art at the time of the

applicant's invention to determine whether the event condition has occurred more than

the first predetermined number of times in the first preceding time period, and if so,

preventing the received data relating to the event condition from being presented in the

event list to the user. "This information is useful as an aid in determining the cause or

root (i.e., systemic root cause) of these events as such would otherwise be difficult to

determine," (line 67 of column 3 through line 3 of column 4 in Andersen) and "By

identifying repeating fault events automatically, these systemic fault conditions may be

predicted, detected, and corrected before a major fault event occurs," (lines 16-19 of

column 4 in Andersen).

It is for these reasons that one of ordinary skill in the art at the time of the

applicant's invention would have been motivated to determine whether the event

condition has occurred more than the first predetermined number of times in the first

preceding time period, and if so, preventing the received data relating to the event

condition from being presented in the event list to the user in the system as taught by

Bell.

  g. As per claim 12, Bell does not explicitly teach: adding the time of the

received data relating to the event condition to event data of the event in the recurring

state.

  However, Andersen discloses: "Optionally, the algorithm may also log the date

and time of the event," (lines 10-11 of column 2).

  It would have been obvious to one of ordinary skill in the art at the time of the

applicant's invention to add the time of the received data relating to the event condition

to event data of the event in the recurring state. "The algorithm determines if this

particular fault type (or event type) has occurred before (e.g., the same type of fault on

the same phase). If such a fault has occurred before, the time since the last such fault

occurrence and the total number of such fault type occurrences are determined. This is

then compared against the user-input number of events and/or time frequency specified

to merit the generation of a repeat event," (lines 11-18 of column 2 in Andersen).

  It is for this reason that one of ordinary skill in the art at the time of the applicant's

invention would have been motivated to add the time of the received data relating to the

event condition to event data of the event in the recurring state in the system as taught

by Bell.

h.   As per claim 13, Bell teaches: if it is determined that the event condition

has not occurred more than the first predetermined number of times in the first

immediately preceding time period, the method further comprises generating an event

for presentation in the event list to the user (abstract and lines 15-62 of column 1).

i.   As per claim 14, Bell teaches: the generated event is not a recurring event

(abstract and lines 34-50 of column 2).

j.   As per claim 15, Bell teaches: wherein if it is determined that the

monitored characteristic for the event condition is not in a recurring state, the method

further comprises determining whether a second predetermined number of equivalent

events have been generated in a second preceding time period (line 51 of column 2

through line 12 of column 3).

k.   As per claim 16, Bell teaches: generating a recurring event if it is

determined that the second predetermined number of equivalent event have been

generated in the second preceding time period (abstract and lines 15-62 of column 1).

l.   As per claim 17, Bell does not explicitly teach: preventing a subsequent

event from being presented in the event list to the user following a subsequent

occurrence of the event condition. However, Andersen discloses: "A limit may be set as

to how many repeats should be observed before a repeat event/message is generated.

Similarly a limit may be programmed in as to how many repeat events/messages should

be generated regardless of the number of observations made," (lines 58-62 of column

3).

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to prevent a subsequent event from being presented in the event list to the user following a subsequent occurrence of the event condition. "This information is useful as an aid in determining the cause or root (i.e., systemic root cause) of these events as such would otherwise be difficult to determine," (line 67 of column 3 through line 3 of column 4 in Andersen) and "By identifying repeating fault events automatically, these systemic fault conditions may be predicted, detected, and corrected before a major fault event occurs," (lines 16-19 of column 4 in Andersen).

It is for these reasons that one of ordinary skill in the art at the time of the applicant's invention would have been motivated to prevent a subsequent event from being presented in the event list to the user following a subsequent occurrence of the event condition in the system as taught by Bell.

m.   As per claim 18, Bell does not explicitly teach: adding a time stamp to the event data of the recurring event, the time stamp indicating the time of the subsequent occurrence of the event condition. However, Andersen discloses: "Optionally, the algorithm may also log the date and time of the event," (lines 10-11 of column 2).

It would have been obvious to one of ordinary skill in the art at the time of the applicant's invention to add a time stamp to the event data of the recurring event, with the time stamp indicating the time of the subsequent occurrence of the event condition. "The algorithm determines if this particular fault type (or event type) has occurred before (e.g., the same type of fault on the same phase). If such a fault has occurred before, the time since the last such fault occurrence and the total number of such fault type

occurrences are determined. This is then compared against the user-input number of events and/or time frequency specified to merit the generation of a repeat event," (lines 11-18 of column 2 in Andersen).

It is for this reason that one of ordinary skill in the art at the time of the applicant's invention would have been motivated to add a time stamp to the event data of the recurring event, with the time stamp indicating the time of the subsequent occurrence of the event condition in the system as taught by Bell.

n.   As per claim 19, Bell teaches: if it is determined that the second predetermined number of equivalent events have not been generated in the second preceding time period, the method further comprises generating an event for presentation in the event list to the user (abstract and lines 15-62 of column 1).

o.   As per claim 20, Bell teaches: the first and/or second preceding time period is an immediately preceding time period (abstract and lines 45-62 of column 1).

Response to Arguments

5.   Applicant's arguments filed 29 December 2005 have been fully considered but they are not persuasive.

6.   (A)   The applicant contends that Bell and Andersen are not directed towards SNMP events. The examiner agrees and new grounds of rejection have been made.

(B)   The applicant contends that there is no suggestion in Bell that messages should be disregarded (or not be sent) at some point, such as after a predetermined number of threshold crossing have occurred.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., messages should be disregarded (or not be sent) at some point, such as after a predetermined number of threshold crossing have occurred) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

The claimed features of: determining whether a predetermined number of equivalent events have been generated in a preceding time period, and if so, generating a recurring event are taught by Bell as cited in line 54 of column 1 through line 12 of column 2 which discloses: "In U.S. Pat. No. 4,080,589, the occurrence of an error triggers a timer and begins a counting interval. Subsequent errors occurring during the interval are counted until a predetermined threshold is reached or the timing interval expires. If the threshold is reached before expiration of the interval, an alarm is signaled and the timer is reset to begin a new interval. Each subsequent error resets the timer until a complete error free interval occurs.

In U.S. Pat. No. 4,241,445, a time base circuit measures recurrent intervals T2; each T2 contains an intermediate interval T1. A first error counter counts errors up to a threshold during intervals equal at most to T2 and at a minimum to T1. A second error

counter counts each threshold crossing of the first counter. The second counter signals

an alarm when it reaches a predetermined value.

In U.S. Pat. No. 4,291,403, if an error count exceeds a predetermined threshold

during an established time period, an alarm is generated and a second threshold is

established to measure subsequent error rates.

U.S. Pat. No. 4,339,657 establishes a variable time interval measured by a

predetermined number of operations that occur. The arrangement counts errors

occurring during the operations and also counts the number of times that the error count

crosses a predetermined threshold." As such, all of the limitations of the instant

application are taught by the prior art.

Conclusion

7.   The prior art made of record and not relied upon is considered pertinent to

applicant's disclosure.

Carney (U.S. 6,487,521 B1) discloses SNMP trap and event notification upon

reaching a threshold.

Groath et al. (U.S. 6,571,285 B1) discloses SNMP threshold events.

Rakoshitz et al. (U.S. 6,816,903 B1) discloses determining what events will

trigger an alarm at what threshold.

Black et al. (U.S. 6,934,749 B1) discloses determining when a failure threshold

has been exceeded.

Chisholm et al. (U.S. 6,978,302 B1) discloses identifying events of a network, determining when a threshold has been exceeded, and logging the events.

Hrabik et al. (U.S. 6,988,208 B2) discloses implementing countermeasures when an event threshold has been exceeded.

Branscomb et al. (U.S. 2002/0057018 A1) discloses reporting threshold events to the SNMP master agent.

8.   Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Meucci at (571) 272-3892. The examiner can normally be reached on Monday-Friday from 9:00 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Caldwell, can be reached at (571) 272-3868. The fax phone number for this Group is 571-273-8300.

Communications via Internet e-mail regarding this application, other than those under 35 U.S.C. 132 or which otherwise require a signature, may be used by the applicant and should be addressed to [michael.meucci@uspto.gov].

All Internet e-mail communications will be made of record in the application file. PTO employees do not engage in Internet communications where there exists a possibility that sensitive information could be identified or exchanged unless the record includes a properly signed express waiver of the confidentiality requirements of 35 U.S.C. 122. This is more clearly set forth in the Interim Internet Usage Policy published

in the Official Gazette of the Patent and Trademark on February 25, 1997 at 1195 OG

89.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free).

BEATRIZ PRIETO
PRIMARY EXAMINER